



1 forward cabin - 1 Toilet, 1 AFT cabin - 1 Toilet



1 forward cabin - 1 Toilet, 2 Aft cabins - 1 Toilet

GENERAL SPECIFICATIONS

• L.O.A	13.10 m
• Hull length	12.75 m
• L.W.L.	11.60 m
• Beam	4.12 m
• Deep draught (min)	2.00 m
• Shallow draught (min)	1.65 m
• Air draught (max)	18.30 m
• Light displacement	8 875 kg
• Fuel capacity	200 l
• Freshwater capacity	360 l
• Engine power	54 HP

ARCHITECT / DESIGNERS

- Naval Architect: Berret Racoupeau Yacht Design
- Interior design: Nauta Design

EC CERTIFICATE

- Category A - 10 persons
- Category B - 11 persons
- Category C - 12 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	39.00 m ²
• Genoa (140 %)	43.50 m ²
• Asymmetric spinnaker	116 m ²
• I	15.77 m
• J	4.67 m
• P	14.46 m
• E	4.80 m

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join banded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White coloured hull - Hull decorated in pearl grey

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 levels of advanced cross trees
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- 2 Backstays with turnbuckles
- Rigid kicking strap with tackle
- Genoa furling system with drum on the deck
- Mainsail sheet track
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 8 Jammers
- 6 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 2 Self tailing coachroof winches (H40.2 STC)
- 2 Winch handles aluminium
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- Lazy Jack and Easy bag in Perle colour

MOORING -ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting with offset roller
- 12 V - 1000 W Vertical electrical windlass - Remote control
- 6 Aluminium mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail

COCKPIT

- Self-draining cockpit
- 2 Cockpit locker
- 1 Lockers under helm seat To starboard
- 1 Wet locker between tiller seats
- 1 Gas locker with 2 bottles under port tiller seat
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - leather covered - rudder systems on partition - metal cable transmission system - Stainless steel handrail - navigation instrument stand (optional instruments)
- 1 Deck hole for access to tiller system
- 1 Tiller

- 2 Steering compass on binacle
- Engine throttle and control panel to starboard
- Polyester cockpit table - 2 flaps - glove boxes - central bottle holder - bottle holder on reverse side - Stainless steel handrail - 12 V socket - lamp with shade
- 2 Companionway door on solid wood hinges - Sliding hatch made of PMMA

AFT TRANSOM

- Vertical opening access door assisted by gas piston
- Natural solid wood decking on sun deck
- 1 Cased life-raft locker in upper stern - 2 doors
- 1 Stainless steel swimming ladder - solid wood steps
- 1 Shower cold water
- 1 Shore power socket

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Cloth hull spar ceilings in saloon and cabins
- Fabric upholstery

COMPANIONWAY

- Headroom: 2.03 m
- Wooden saloon companionway with moulded wood hanging steps with non-slip surface
- 2 Stainless steel handrails

FORWARD CABIN

- Headroom: 1.95 m
- Central double bed (2.10 m x 0.60 m x 1.93 m) - Marine mattress
- 1 Portside seating
- Hanging locker - Cupboard - glove boxes - Cubby hole lockers - Storage drawer
- 2 Opening hatches with blind / Mosquito net
- 2 Hull portholes with curtain

FORE WASHROOM

- Headroom: 1.95 m
- Access through forward cabin
- Washroom moulded in one piece to be watertight
- Separate shower - shower mixer tap hot / cold water
- Manual marine toilet
- Washbasin - Mixing tap hot water / cold water
- 1 Mirror
- Toilet accessories: Glass holder - Soap tray - Towel rail - Bin - Paper dispenser
- Cupboards and cubbyholes
- 1 Opening deck hatch with shutter / Mosquito net

Version 1 Forward cabin - 1 Toilet, 1 Aft cabin- 1 Toilet

SALOON

- Headroom: 2.00 m
- U shaped saloon bench - double density foam
- Saloon table in only 1 piece - Varnished wood top with inlay - Aluminium legs
- 2 seater bench to port
- 4 Matching decorative cushions
- 1 Stainless steel handrail on aft washroom partition
- Cupboards - Cubby hole lockers and storage along the hull - Storage under bench seats
- Cubbyhole with stainless steel beading
- 2 Panoramic deck house windows with concertina blinds
- 2 Hull portholes with curtain
- 2 fixed deckhouse side windows with pleated blinds
- 2 Opening portholes on coaming in side windows
- 1 Opening deck hatch with shutter / Mosquito net

CHART TABLE TO PORT

- In the opposite direction to sailing
- Table with flap - Glove box - Shelf- Moulded wood beading
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- 1 White light fitting / Red

GALLEY TO PORT

- Headroom: 2.00 m
- U-shaped kitchen
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins - 1 Mixer tap cold water / hot under pressure
- 1 Gas cooker 2 hobs - Stainless steel oven on mountings - Stainless steel protection handrail
- 1 70 liter ice box, top opening
- 1 130 liter refrigerator front opening
- Fitted cupboards and closed cubbyholes (Shelf Bin - tea towel holder)
- 1 cutlery drawer
- 1 Porthole opening onto coaming in side window
- 1 Opening porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito net

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1.95 m
- Access through saloon and the starboard aft cabin
- Washroom moulded in one piece to be watertight
- Separate shower - 1 shower mixer tap hot / cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80 L
- Wooden handrail - 1 shower mixer tap hot / cold water
- 2 Mirrors
- Toilet accessories: Glass holder - Towel rail - Bin - Paper dispenser
- Cupboard and closed cubbyholes
- 1 Porthole opening onto coaming in side window

AFT CABIN

- Headroom: 1.95 m
- 1 Double bed (2.00 m x 1.50 m) - Marine mattress
- Access door to starboard aft washroom
- Cupboards - Hanging locker - Closed cubbyholes
- 1 Bench seat - Bed access sideboard
- 1 Hull porthole with curtain
- 1 Opening porthole with curtain
- 1 Cockpit porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito net

Version 1 Forward cabin - 1 Toilet, 2 Aft cabins- 1 Toilet

GALLEY TO PORT

- Headroom: 2.00 m
- Kitchen along the hull
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins Stainless steel - 1 Mixer tap cold water / hot under pressure
- 1 Gas cooker 2 hobs - stainless steel oven, on mountings - 1 Stainless steel protection handrail
- 1 170 liter ice box, top opening 12 V Refrigeration unit
- Fitted cupboards and closed cubbyholes (Shelf Bin - tea towel holder)
- 1 cutlery drawer
- Cubbyhole with stainless steel beading
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coaming in side window

CHART TABLE TO PORT

- Table with flap - Glove box - Storage - Shelf- Moulded wood beading
- Helmsman seat with cushion - Storage behind seat back
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- 1 White light fitting / Red
- 1 Porthole opening onto coaming in side window

SALOON TO STARBOARD

- Headroom: 2.00 m
- L-shaped saloon bench seat - double density foam
- 1 Seating / Removable locker
- Central bench seat with storage locker - on pantograph
- 4 Matching decorative cushions
- Saloon table in only 1 piece - Varnished wooden top - veneering - Aluminium legs
- Cupboards - Cubby hole lockers - Storage space along the hull - Storage under bench seats
- Cubbyhole with stainless steel beading

- 2 Panoramic deck house windows with concertina blinds
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coaming in side window
- 1 Opening deck hatch with shutter / Mosquito net

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1.95 m
- Access through saloon and the starboard aft cabin
- Washroom moulded in one piece to be watertight
- Separate shower - 1 shower mixer tap hot / cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80 L
- Wooden handrail - 1 shower mixer tap hot / cold water
- 2 Mirrors
- Toilet accessories: Glass holder - Towel rail - Bin - Paper dispenser
- Cupboard and closed cubbyholes
- 1 Porthole opening onto coaming in side window

AFT CABINS PORT AND STARBOARD

2 Symmetrical cabins each one consisting of:

- Headroom: 1.95 m
- Double bed (2.03 m x 1.38 m x 1.56 m) - Marine mattress
- Cupboard - Hanging locker - Closed cubbyholes
- 1 Hull porthole with curtain
- 1 Opening porthole with curtain
- 1 Cockpit porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito net

ENGINE

- Engine Yanmar Diesel 54 hp Sail Drive
- Engine control - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 200 L (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit - 220 V circuit
- 1 service batteries (140 Ah) - 1 Engine battery (110 Ah)
- 1 25 Ah Battery charger - 1 220V shore power - 1 Charge divider
- 12 V / 220 V Electrical panel (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 1 12 V Sockets - 5 220 V Sockets
- Lighting: Overhead lights: Lights LED - Reading lights - White/red light fitting - Fluorescent lamp White
- Navigation lights: 1 Forward and aft navigation lights - 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead
- Wire runs for options cables

PLUMBING

- 2 Roto moulded freshwater tanks (200 l Starboard aft cabin - 160 l Forward cabin) - 2 Deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 25 L Electric water heater (Operation off engine or on 220 V electrical system)
- 1 Rigid holding tank 80 L
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle boxes in the cockpit
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
2 Displays (colors) TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Windvane - Anenometer)	■	■
Cockpit shower spray hot / cold water	■	■
PMMA shower partition in forward washroom	■	■
PMMA shower partition in aft washroom	■	■
Radio CD player / MP3 - 2 Interior loudspeakers - 2 Outside loudspeakers	■	■
Indirect lighting in saloon	■	■
LED: Navigation lights - Interior lighting	■	■
40 Amp battery charger instead of 25 Amp charger	■	■
1 140 amperes additional service batterie	■	■
Releasable fore-stay chain-plate		■
1 Port electric coachroof winch H40.2STCEH		■
Slatted solid natural wood cockpit sole		■
Polyester/wood cockpit table - White PVC protective cover		■
Leather covering on companionway and aft toilet closet partition handrails		■
Mirror on forward partition of fore cabin		■
12 V refrigeration unit in 70 L icebox (2 cabin version)		■
Sea water foot pump		■
Stainless steel 2 hob oven/grill cooker on deluxe mounting		■

OPTIONS

PACKS

ELECTRONIC PACK RAYMARINE

- PC interface
- Swivel base on reverse side of table cockpit
- Multifunction screen C90W colour 9" (GPS - Chart plotter - Cartography Navionics Silver Europe included - Chart reader - supplied without chart)

PACK EASY DOCKING

- Bow thruster
- Bow roller additional
- White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Mooring kit (Anchor FOB 20 kg, 32 M of 10 mm chain, 48 M 18 mm rope) - 4 Mooring ropes - 6 Fenders

OTHER OPTIONS

- Tactile RAYMARINE E90W multifunction screen in cockpit to replace the C90W screen from the Pack Electronic
- Pilot RAYMARINE ST 70 (Integrated gyrocompass)
- Receiver AIS 500 RAYMARINE (Transmitter - Receiver)
- Autopilot remote control - Smartcontroller RAYMARINE
- Radar - radome only RAYMARINE
- VHF RAYMARINE 49E

- Steel blue colour hull - Hull decorated in pearl grey
- Anodized mast furling with sail
- Windex
- 2 flag halyards
- Asymmetric spinnaker
- Asymmetric spinnaker rigging and boom
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet blocks - Backstay adjustments - Winch handle Harken Speedgrip - Winch handle box additional)
- 3 retractable blades propeller
- Solid wood slatted catwalks Plain
- Perle coachroof sprayhood
- Perle Cockpit Bimini
- PVC cockpit cushions

- Additional seating in saloon (2 cabin version)
- Double berth in saloon
- Swivel foldaway saloon table
- Porthole mosquito nets
- Heating
- Microwave oven
- 22" LCD television + Player DVD CD - MP3
- TV Antenna
- Additional rigid sewage tank (50 l)
- Quiet Flush electric toilet
- Fabric upholstery